

Convergent Functional Information for Suicidality (CFI-S) Scale

©Niculescu 2015, 2016, 2017, 2022 email: anicules@iu.edu

Items are scored 1 for Yes, 0 for No. Total Score has a maximum possible of 22. Final Score is Total Score divided by number of items that were scored (as for some items information might not be available (NA) so they are not scored), and multiplied by 100. High Risk >60. Intermediate Risk 30 < < 60. Low Risk < 30.

Items	Yes	No	NA
1. Psychiatric Ever had psychiatric illness diagnosed and treated			
2. Compliance Ever had poor treatment compliance.			
3. Familial Ever had family history of suicide attempts/completions in blood relatives			
4. Example Ever personally know somebody who attempted/completed/ suicide			
5. Abuse Ever had history of abuse growing up: physical, sexual, emotional, neglect, including bullying?			
6. Medical Now or in the last 3 months have you had acute/severe medical illness, including acute pain ("I just can't stand this pain anymore.")?			
7. Losses Now or in the last 3 months have you had losses, grief?			
8. Useless Ever had feelings of uselessness, of not being needed, of being a burden to others?			
9. Introverted Ever been excessively introverted, internally driven loner, overly conscientious, perfectionistic? Has it ever been hard for you to confide or seek help from others?			
10. Unhappy Now or in the last 3 months have you been dissatisfied with your life?			
11. Hopeless Now or in the last 3 months have you lacked hope about your future ?			
12. Addiction Now or in the last 3 months have you abused alcohol or drugs?			
13. History Ever had a past suicidal act, gesture or attempt?			
14. Non-religious Now or in the last 3 months have you lacked religious (or spiritual) beliefs?			

15. Rejection Now or in the last 3 months have you experienced separation, rejection by romantic interest, peers, friends?			
16. Isolation Ever had lack of positive relationships, social isolation (externally driven loneliness, being shunned or ostracized by others)?			
17. Impulsive Ever had periods of excessive extroversion and impulsive behaviors (including rage, anger, physical fights, school suspension, expulsions)?			
18. Non-coping Ever had lack of coping skills when faced with stress?			
19. Childless Now or in the last 3 months, are you childless? Or if you have children, is it true that you are not in touch /not close to them? Biological (1point), step (0.5 points)			
20. Hallucinations Ever had command hallucinations of self-directed violence (voices telling you to harm yourself)?			
21. Age Age: Older >60 or Younger <25			
22. Gender Gender: Male (1 point) or LGBTQ+ (0.5 points)			
Score			

	All	Males	Females
High Risk	> 59	> 59	> 58
Intermediate Risk	31 < <59	32 < < 59	30 < <58
Low Risk	< 31	< 32	< 30

References:

*Niculescu AB, Levey DF, Phalen PL, Le-Niculescu H, Dainton HD, Jain N, Belanger E, James A, George S, Weber H, Graham DL, Schweitzer R, Ladd TB, Learman R, Niculescu EM, Vanipenta NP, Khan FN, Mullen J, Shankar G, Cook S, Humbert C, Ballew A, Yard M, Gelbart T, Shekhar A, Schork NJ, Kurian SM, Sandusky GE, Salomon DR. Understanding and predicting suicidality using a combined genomic and clinical risk assessment approach. *Molecular Psychiatry*. 2015 Aug 18. doi: 10.1038/mp.2015.112. [Epub ahead of print].

Levey DF, Niculescu EM, Le-Niculescu H, Dainton HD, Phalen PL, Ladd TB, Weber H, Belanger E, Graham DL, Khan FN, Vanipenta NP, Stage EC, Ballew A, Yard M, Gelbart T, Shekhar A, Schork NJ, Kurian SM, Sandusky GE, Salomon DR, Niculescu AB. Towards understanding and predicting suicidality in women: biomarkers and clinical risk assessment. *Molecular Psychiatry* 2016 Jun;21(6):768-85. Epub 2016 Apr 5.

*Niculescu AB, Le-Niculescu H. Dissecting Suicidality Using a Combined Genomic and Clinical Approach. *Neuropsychopharmacology* 2017 42, 360; doi:10.1038/npp.2016.228.

Niculescu AB, Le-Niculescu H, Levey DF, Phalen PL, Dainton HL, Roseberry K, Niculescu EM, Niezer JO, Williams A, Graham DL, Jones TJ, Venugopal V, Ballew A, Yard M, Gelbart T, Kurian SM, Shekhar A, Schork NJ, Sandusky GE, Salomon DR. Precision Medicine for Suicidality: from universality to subtypes and personalization. *Molecular Psychiatry* 2017. Sep;22(9):1250-1273. doi: 10.1038/mp.2017.128. Epub 2017 Aug 151 PMID: 28809398

Brucker KM, Duggan C, Roseberry K, Le-Niculescu H, *Niculescu AB, *Kline JA. Assessing Risk of Future Suicidality in Emergency Department Patients. *Academic Emergency Medicine*, 2018 Oct 30. doi: 10.1111/acem.13562. [Epub ahead of print] PMID: 30375082

Cheng M, Roseberry K, Choi Y, Quast L, Gaines M, Sandusky G, Kline JA, *Bogdan P, *Niculescu AB. Polyphenic risk score shows robust predictive ability for long-term future suicidality. *Discov Ment Health*. 2022;2(1):13. doi: 10.1007/s44192-022-00016-z. Epub 2022 Jun 13. PMID: 35722470